
		TECHNICAL SPECIFICATION 5300		STANDARD PLUS OVERHEAD BRACE	GENERAL INFORMATION																																																																																																																	
					SANILOCK.TM Toilet Partitions have been manufactured on the line for more than 35 years, with high quality standards, highly qualified labor, and certified high-quality materials. Ensuring durability, reliability and beauty.																																																																																																																	
FAMILY NUMBER	5000	FAMILY NAME:	STD PLUS																																																																																																																			
MODEL NUMBER:	300	MODEL NAME:	STD OVERHEAD BRACE																																																																																																																			
DESIGN:	Model designed and recommended to meet general needs, while maintaining the necessary privacy. It also has a horizontal reinforcement placed in the upper part, which increases its resistance to exhaustive use. SANILOCK® will provide information for its installation. The height from the floor to the highest part of the panels, door is 70 7/8" (1.80 meters), while the final height to the top of the stainless steel reinforcement is 85". (2.16 meters) It has a floor fixing system. It has 82 5/8" (2.10 m) pilasters. Tall. Doors and panels 66 1/2" (1.69 meters) high. It has a floor fixing system. SANILOCK® partitions can be with or without walk-in closet, and can be installed preferably on the floor or on the curb.																																																																																																																					
USE:	SANILOCK® partitions for public toilets are used in airports, stadiums, clinics, industries, gas stations, hospitals, hotels, shopping malls, schools, sports and social clubs, etc.																																																																																																																					
MATERIAL:	Exterior:	Disponible en los acabados: 10 Esmaltado, 30 Acero Inoxidable, 40 Inoxlock, 50 Sanilil, 60 Fenolock, 70 Antigrafiti, 80 Acrilock, 90 Ecológico.																																																																																																																				
	Interior:	Structure: 1" x 1" galvanized square tubular profile. 20 gauge. Insulation: Hygienic and self-extinguishing expanded polystyrene density of 14 KG/M³.																																																																																																																				
CONSTRUCCIÓN:	<p>Panels: Manufacturing begins by forming the perimeter structure in one piece, with interior reinforcements (including one for supplying toilet paper), built with a 1" x 1" galvanized tubular profile, 20 gauge, electro-welded (MIG), with welded joints protected by applying anticorrosive primer. The interior of the structure is filled with hygienic and self-extinguishing expanded polystyrene with a density of 14 KG/M³. Next, adhesive is applied to the inner faces of the finishing caps, placing them on the structure filled with polystyrene, on both sides, and pressing to ensure the best adherence. To finish, a stainless steel perimeter molding is placed on the periphery.</p> <table border="1"> <thead> <tr> <th>Name</th> <th>Code Number</th> <th>Width</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td rowspan="9">Panels</td> <td>5301-1, 5308-1</td> <td>35 7/16</td> <td>66 9/16</td> </tr> <tr> <td>5301-2, 5308-2</td> <td>38 3/16</td> <td>66 9/16</td> </tr> <tr> <td>5301-3, 5308-3</td> <td>48 1/16</td> <td>66 9/16</td> </tr> <tr> <td>5301-4, 5308-4</td> <td>59 1/16</td> <td>66 9/16</td> </tr> <tr> <td>5301-5, 5308-5</td> <td>70 1/16</td> <td>66 9/16</td> </tr> <tr> <td>5301-6, 5308-6</td> <td>53 1/8</td> <td>66 9/16</td> </tr> <tr> <td>5301-7, 5308-7</td> <td>21 5/8</td> <td>66 9/16</td> </tr> <tr> <td>5301-8, 5308-8</td> <td>24</td> <td>66 9/16</td> </tr> <tr> <td>5301-9, 5308-9</td> <td>33 7/16</td> <td>66 9/16</td> </tr> </tbody> </table> <p>Doors: Manufacturing begins by forming the perimeter structure in one piece, with interior reinforcements, built with a 1" x 1" galvanized tubular profile, 20 gauge, electro-welded (MIG), with the welded joints protected by the application of anticorrosive primer. The interior of the structure is filled with hygienic and self-extinguishing expanded polystyrene with a density of 14 KG/M³. Next, adhesive is applied to the inner faces of the finishing caps, placing them on the structure filled with polystyrene, on both sides, and pressing to ensure the best adherence. A stainless steel perimeter trim is attached to the periphery. Next, 2 bronze bushings are assembled, one in a corner of the upper part of the door, the other in the lower part, on the same side, for the placement and assembly of the hinges.</p> <table border="1"> <thead> <tr> <th>Name</th> <th>Code Number</th> <th>Width</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td rowspan="5">Doors</td> <td>5305-1</td> <td>21 5/8</td> <td>66 9/16</td> </tr> <tr> <td>5305-2</td> <td>24</td> <td>66 9/16</td> </tr> <tr> <td>5305-3</td> <td>33 7/16</td> <td>66 9/16</td> </tr> <tr> <td>5305-4</td> <td>35 7/16</td> <td>66 9/16</td> </tr> <tr> <td>5305-5</td> <td>39 3/8</td> <td>66 9/16</td> </tr> </tbody> </table> <p>Pilasters: Manufacturing begins by forming the perimeter structure in one piece, with interior reinforcements, built with a 1" x 1" galvanized tubular profile, 20 gauge, electro-welded (MIG), with the welded joints protected by the application of primer. anticorrosive. The interior of the structure is filled with 14 KG/M³ expanded polystyrene. Next, a special adhesive is applied to the inner faces of the finishing caps, placing them on the structure filled with polystyrene, on both sides, and pressing to ensure the best adherence. A stainless steel perimeter trim is attached to the periphery. Additionally, the pilaster has an integrated fixing system to the floor, with a 12-gauge galvanized steel plate, in one piece, electro-welded to the base (MIG), and the joints protected with an anticorrosive primer. The pilasters also have 4 special expansion screws for fixing the door hinges and 2 expansion screws for fixing the upper reinforcement. In addition, the pilaster fixing system is wrapped and protected with a type 304 stainless steel cover, finish 3 Made in one piece and protected with a nanotechnological non-stick coating.</p> <table border="1"> <thead> <tr> <th rowspan="2">Nombre</th> <th rowspan="2">Número</th> <th>Ancho</th> <th>Altura</th> <th>Ancho</th> <th>Altura</th> </tr> <tr> <th colspan="2">(Metros)</th> <th colspan="2">(Pulgadas)</th> </tr> </thead> <tbody> <tr> <td rowspan="11">Pilastras</td> <td>5302-0,5303-0, 5304-0</td> <td>0.60</td> <td>2.10</td> <td>23 5/8</td> <td>82 11/16</td> </tr> <tr> <td>5302-1,5303-1, 5304-1</td> <td>0.12</td> <td>2.10</td> <td>4 3/4</td> <td>82 11/16</td> </tr> <tr> <td>5302-2,5303-2, 5304-2</td> <td>0.15</td> <td>2.10</td> <td>5 7/8</td> <td>82 11/16</td> </tr> <tr> <td>5302-3,5303-3, 5304-3</td> <td>0.17</td> <td>2.10</td> <td>6 11/16</td> <td>82 11/16</td> </tr> <tr> <td>5302-4,5303-4, 5304-4</td> <td>0.20</td> <td>2.10</td> <td>7 7/8</td> <td>82 11/16</td> </tr> <tr> <td>5302-5,5303-5, 5304-5</td> <td>0.24</td> <td>2.10</td> <td>9 7/16</td> <td>82 11/16</td> </tr> <tr> <td>5302-6,5303-6, 5304-6</td> <td>0.30</td> <td>2.10</td> <td>11 13/16</td> <td>82 11/16</td> </tr> <tr> <td>5302-7,5303-7, 5304-7</td> <td>0.34</td> <td>2.10</td> <td>13 3/8</td> <td>82 11/16</td> </tr> <tr> <td>5302-8,5303-8, 5304-8</td> <td>0.40</td> <td>2.10</td> <td>15 3/8</td> <td>82 11/16</td> </tr> <tr> <td>5302-9,5303-9, 5304-9</td> <td>0.50</td> <td>2.10</td> <td>19 11/16</td> <td>82 11/16</td> </tr> </tbody> </table>					Name	Code Number	Width	Height	Panels	5301-1, 5308-1	35 7/16	66 9/16	5301-2, 5308-2	38 3/16	66 9/16	5301-3, 5308-3	48 1/16	66 9/16	5301-4, 5308-4	59 1/16	66 9/16	5301-5, 5308-5	70 1/16	66 9/16	5301-6, 5308-6	53 1/8	66 9/16	5301-7, 5308-7	21 5/8	66 9/16	5301-8, 5308-8	24	66 9/16	5301-9, 5308-9	33 7/16	66 9/16	Name	Code Number	Width	Height	Doors	5305-1	21 5/8	66 9/16	5305-2	24	66 9/16	5305-3	33 7/16	66 9/16	5305-4	35 7/16	66 9/16	5305-5	39 3/8	66 9/16	Nombre	Número	Ancho	Altura	Ancho	Altura	(Metros)		(Pulgadas)		Pilastras	5302-0,5303-0, 5304-0	0.60	2.10	23 5/8	82 11/16	5302-1,5303-1, 5304-1	0.12	2.10	4 3/4	82 11/16	5302-2,5303-2, 5304-2	0.15	2.10	5 7/8	82 11/16	5302-3,5303-3, 5304-3	0.17	2.10	6 11/16	82 11/16	5302-4,5303-4, 5304-4	0.20	2.10	7 7/8	82 11/16	5302-5,5303-5, 5304-5	0.24	2.10	9 7/16	82 11/16	5302-6,5303-6, 5304-6	0.30	2.10	11 13/16	82 11/16	5302-7,5303-7, 5304-7	0.34	2.10	13 3/8	82 11/16	5302-8,5303-8, 5304-8	0.40	2.10	15 3/8	82 11/16	5302-9,5303-9, 5304-9	0.50	2.10	19 11/16	82 11/16
Name	Code Number	Width	Height																																																																																																																			
Panels	5301-1, 5308-1	35 7/16	66 9/16																																																																																																																			
	5301-2, 5308-2	38 3/16	66 9/16																																																																																																																			
	5301-3, 5308-3	48 1/16	66 9/16																																																																																																																			
	5301-4, 5308-4	59 1/16	66 9/16																																																																																																																			
	5301-5, 5308-5	70 1/16	66 9/16																																																																																																																			
	5301-6, 5308-6	53 1/8	66 9/16																																																																																																																			
	5301-7, 5308-7	21 5/8	66 9/16																																																																																																																			
	5301-8, 5308-8	24	66 9/16																																																																																																																			
	5301-9, 5308-9	33 7/16	66 9/16																																																																																																																			
Name	Code Number	Width	Height																																																																																																																			
Doors	5305-1	21 5/8	66 9/16																																																																																																																			
	5305-2	24	66 9/16																																																																																																																			
	5305-3	33 7/16	66 9/16																																																																																																																			
	5305-4	35 7/16	66 9/16																																																																																																																			
	5305-5	39 3/8	66 9/16																																																																																																																			
Nombre	Número	Ancho	Altura	Ancho	Altura																																																																																																																	
		(Metros)		(Pulgadas)																																																																																																																		
Pilastras	5302-0,5303-0, 5304-0	0.60	2.10	23 5/8	82 11/16																																																																																																																	
	5302-1,5303-1, 5304-1	0.12	2.10	4 3/4	82 11/16																																																																																																																	
	5302-2,5303-2, 5304-2	0.15	2.10	5 7/8	82 11/16																																																																																																																	
	5302-3,5303-3, 5304-3	0.17	2.10	6 11/16	82 11/16																																																																																																																	
	5302-4,5303-4, 5304-4	0.20	2.10	7 7/8	82 11/16																																																																																																																	
	5302-5,5303-5, 5304-5	0.24	2.10	9 7/16	82 11/16																																																																																																																	
	5302-6,5303-6, 5304-6	0.30	2.10	11 13/16	82 11/16																																																																																																																	
	5302-7,5303-7, 5304-7	0.34	2.10	13 3/8	82 11/16																																																																																																																	
	5302-8,5303-8, 5304-8	0.40	2.10	15 3/8	82 11/16																																																																																																																	
	5302-9,5303-9, 5304-9	0.50	2.10	19 11/16	82 11/16																																																																																																																	
	HARDWARE:	Made of type 304 stainless steel, mirror finish (Electrothermokineticochemical). 3/16" thick rounded hinges, and the other 12-gauge hardware (plate, handle, hanger, vulcanized rubber bumpers and corner pieces). They are packed in sets for each type of partition (panel, door or pilaster), including a list of contents in each bag.																																																																																																																				
NUTS AND BOLTS:	The partitions include TORX type 304 stainless steel anti-vandal security bolts, a TRUSS head with a 6-point star pattern and an anti-theft pin in the center to fix the partition parts and their fittings and screws with the same characteristics for fixing the hinges to the pilasters. Galvanized threaded studs and nuts are included with security for fixing plates and handles, and for fixing pilasters to the floor.																																																																																																																					
INSTALLATION:	SANILOCK® includes, in each delivery of screens, hardware, an installation manual, and stickers with maintenance instructions. We have highly qualified personnel in various cities, to make installations in any part of the country.																																																																																																																					
WARRANTY:	SANILOCK® guarantees the original purchaser that all products: screens and their accessories are free from defects in materials and workmanship, for 1 year from the date of invoice, under normal use and proper maintenance. The fittings are guaranteed for life, in normal use.																																																																																																																					

Nota:

El código 5308 corresponde a un panel alcoba que cuenta con preparación de tuercas expansivas para su instalación de ensamble a pilastra.

Nota:

The fourth digit indicates the location of the pilaster
2= wall, 3= central, 4= Terminal.